


**METAL
TEHNOLOGIJA**

DERVENTA SINCE 2008

EXPANDED METAL - ISTEKNUTI METAL

Ceiling systems

Sistemi per controsoffitti metallici / Plafonds métalliques



**METAL
TEHNOLOGIJA**

DERVENTA SINCE 2008

EXPANDED METAL - ISTE GNUTI METAL

Create and innovate inspiring spaces with MARIANItch® Expanded Metal ceiling systems. Be it large or small, our solutions will give life to your ceiling surfaces.


MARIANItch® provides ceilings ready to be installed with different possibilities.

Sistemi per controsoffitti metallici

I sistemi MARIANItch® per controsoffitti per creare e innovare ogni spazio e superficie. Grandi o piccolo, le nostre soluzioni daranno nuova luce e vitalità ad ogni superficie di controsoffitto. MARIANItch® è in grado di fornire pannelli pronti per essere installati in molteplici modalità.


Plafonds métalliques

Créer et innover avec les systèmes pour plafonds suspendus en métal déployé MARIANItch®. Qu'ils soient importants ou réduits, nos solutions donneront vie à vos plafonds métalliques. MARIANItch® fournit des produits plafonds en métal déployé qui peuvent être fixés de multiples de façons.



TILE Flat panels

Pannelli piani / Dalles plafond




SIZE OPTIONS / Dimensioni / Les options de tailles


A - from 250 up to 600 mm / da 250 fino a 600 mm / de 250 à 600 mm

L - up to 3000 mm / fino a 3000 mm / jusqu'à 3000 mm


MESH OPTIONS / Tipologie di maglie / Les options de mailles




Q6 × 4.5 × 1.2 × 1



D10 × 7 × 1.5 × 1 flattened




16 × 8 × 2 × 1



29 × 10 × 2 × 1.5



40 × 17 × 2.2 × 1.5



62 × 23 × 8 × 0.6

You can find more information about mesh types on page 6.

Ulteriori dettagli circa le tipologie di maglie a pagina 6.

Vous pouvez trouver plus d'informations sur les types de mailles à la page 6.

BAC

Bended and framed panels

Pannelli piegati e bordati / Bac autoportant

SIZE OPTIONS

Dimensioni / Les options de tailles

A - from 250 up to 600 mm

A - da 250 fino a 600 mm

A - de 250 à 600 mm

L - up to 3000 mm


L - fino a 3000 mm

L - jusqu'à 3000 mm

H - 30 / 40 / 50 mm


H - 30 / 40 / 50 mm

H - 30 / 40 / 50 mm




MESH OPTIONS

Tipologie di maglie / Les options de mailles




Q6 × 4.5 × 1.2 × 1



D10 × 7 × 1.5 × 1 flattened




16 × 8 × 2 × 1



29 × 10 × 2 × 1.5



40 × 17 × 2.2 × 1.5




62 × 23 × 8 × 0.6

You can find more information about mesh types on page 6.


Ulteriori dettagli circa le tipologie di maglie a pagina 6.

Vous pouvez trouver plus d'informations sur les types de mailles à la page 6.


Basic




Module



Evo




Evo Plus



MESH TYPES

Tipologie di maglie / Types de mailles



LEGEND / Leggenda / Légende

LWD: Long way diagonal / Diagonale lunga / Longue diagonale

SWD: Short way diagonal / Diagonale corta / Courte diagonale


SW: Strand width / Avanzamento / Largeur de lanière

TH: Thickness / Spessore / Épaisseur

Open Area / Vuoto Su Pieno / Ouverture


Material / Materiale / Matériau

Weight / Peso / Poids




Q6 x 4.5 x 1.2 x 1

LWD	SWD	SW	TH	Open Area	Material	Weight
6 mm	4.5 mm	1.2 mm	1 mm	60 %	Aluminium Aluminio Aluminium	1.45 Kg/mq
					Mild steel, galvanized steel, stainless steel Ferro, acciaio zincato, acciaio inox Acier doux, acier galvanisé, acier inoxydable	4.20 Kg/mq





D10 x 7 x 1.5 x 1 flattened / spianata / aplatie

LWD	SWD	SW	TH	Open Area	Material	Weight
10 mm	7 mm	1.5 mm	1 mm	58 %	Aluminium Aluminio Aluminium	1.15 Kg/mq
					Mild steel, galvanized steel, stainless steel Ferro, acciaio zincato, acciaio inox Acier doux, acier galvanisé, acier inoxydable	3.30 Kg/mq



16 x 8 x 2 x 1

LWD	SWD	SW	TH	Open Area	Material	Weight
16 mm	8 mm	2 mm	1 mm	63 %	Aluminium Aluminio Aluminium	1.00 Kg/mq
					Mild steel, galvanized steel, stainless steel Ferro, acciaio zincato, acciaio inox Acier doux, acier galvanisé, acier inoxydable	3.00 Kg/mq




29 × 10 × 2 × 1.5

LWD	SWD	SW	TH	Open Area	Material	Weight
29 mm	10 mm	2 mm	1.5 mm	60 %	Aluminium Aluminio Aluminium	1.65 Kg/mq
Mild steel, galvanized steel, stainless steel Ferro, acciaio zincato, acciaio inox Acier doux, acier galvanisé, acier inoxydable						4.75 Kg/mq



40 × 17 × 2.2 × 1.5

LWD	SWD	SW	TH	Open Area	Material	Weight
40 mm	17 mm	2.2 mm	1.5 mm	70 %	Aluminium Aluminio Aluminium	1.05 Kg/mq
Mild steel, galvanized steel, stainless steel Ferro, acciaio zincato, acciaio inox Acier doux, acier galvanisé, acier inoxydable						3.05 Kg/mq



62 × 23 × 8 × 0.6

LWD	SWD	SW	TH	Open Area	Material	Weight
62 mm	23 mm	8 mm	0.6 mm	35 %	Aluminium Aluminio Aluminium	1.15 Kg/mq
Mild steel, galvanized steel, stainless steel Ferro, acciaio zincato, acciaio inox Acier doux, acier galvanisé, acier inoxydable						3.30 Kg/mq



Tile and BAC panels can also be made with all the other MARIANitech® expanded metal meshes.
 Tile e BAC sono inoltre realizzabili utilizzando la gamma completa di prodotti della linea MARIANitech®.
 Dalles et bacs plafonds sont aussi possibles avec toutes nos autres mailles MARIANitech®.



METAL TEHNOLOGIJA d.o.o.
74400 Derventa - Kninska bb - Bosna i Hercegovina
Tel-Fax +387.53.334.688 Mob. +387.66.705.662
metaltehnologija@gmail.com
www.metaltehnologija.com